



## Horizontal Laminar flow cabinet TRHL-601

[www.safezex.com](http://www.safezex.com) | [info@safezex.com](mailto:info@safezex.com)

## **Description**

Horizontal Laminar flow cabinet TRHL-601 is a local purification unit used in a dust-free and aseptic clean environment. A similar enclosure creates a particle-free working environment by passing air through a filtration system. It comes with an easy-to-use quasi-glass damper. The Specification of the ultraviolet lamp is 1/10 W. It provides in a small and exquisite manner. It is presented with the air supply mode and supplies through both horizontal and vertical manner.

## **Features:**

Cold-rolled plate welding equipped throughout the equipment

Comes with a stainless steel working area It is presented with a HEPA filter

Built with a glass sliding door, and with a UV lamp and fluorescent lamp

The surface electrostatically sprayed

The air supply mode into the vertical and horizontal air supply

Controlled by a simple to use quasi-closed glass damper

It is small and exquisite

It can operate freely on the general workbench, making it ideal for use in small studios

A remote switch with fast controls the fan system

## Specifications :

<b>Average Wind Speed</b>	0.25 to 0.45m/s (Fast and slow)
<b>Cleanliness Level</b>	Class 100@?0.5?M
<b>High-Efficiency Filter Specification And Quantity</b>	475×410×38×1
<b>Illuminance</b>	?300Lx
<b>Noise</b>	?62dB(A)
<b>Number Of Colonies</b>	?0.5pcs/dish hour (?90mm culture plate)
<b>Overall Dimension W×D×H</b>	650×530×850 mm
<b>Power Supply</b>	AC single-phase 220V/50Hz
<b>Specification And Quantity Of Fluorescent Lamp/Ultraviolet Lamp</b>	5W×1/10W×1
<b>Vibration Half Peak</b>	?0.5?M(x, y, z-direction)
<b>Working Area W1×D1×H1</b>	490×490×490 mm



W 84th Terrace Lenexa KS 66214, USA  
Email: [info@safezex.com](mailto:info@safezex.com) | Website: [www.safezex.com](http://www.safezex.com)